


HDB480 3.5-10mm auto iris varifocal lens, grey housing

Features

- 1/3" Panasonic Progressive CMOS image sensor
- 2.1M Pixels
- Full-HD 1080p video resolution
- True day & night function
- DC-IRIS function
- 32 areas privacy masking
- Camera title display
- Supporting BLC, DSS, WDR
- Highlight masking
- DNR & 3D DNR
- Excellent video quality - 1080p 30FPS & 720p 60FPS
- Simultaneous analog composite video output for easy service & easy camera installation
- IP66 compatible
- 5 year warranty



**Advantage of HD-SDI:
 Ease of installation.**
 HDcctv products that are newly installed or retrofitted into analog installations can use standard coaxial cable (RG/59, RG/6 and RG/11). Just install an HD-SDI DVR as well as your cameras and installation is complete. There is no additional training needed and no networking.

Specifications

Image Sensor.....	1/3" 2.1M pixels progressive sensor
Resolution.....	900 TV lines
Minimum Illumination.....	0.1 lux @F1.2 without DSS 0.00001 lux @F1.2 (LED On)
Effective Pixels.....	1080p / 720p
Video Output.....	1.0Vp-p / 75 Ohm composite
Scanning System.....	30 (1080p), 60 (720p)
S/N Ratio.....	More than 50dB
Shutter Speed.....	1/7 sec. – 1/30,000 sec.
Day & Night.....	Auto / Day / Night (ICR)
Lens Type.....	DC / Manual
White Balance.....	Auto / Manual / Push
2D-DNR.....	On / Off
3D-DNR.....	On / Off
Edge Enhance.....	On / Off
WDR.....	On / Off
Backlight.....	On / Off
IR Range.....	35 ft.
ACE.....	On / Off
HLM (Highlight masking).....	On / Off
White Balance.....	AWB / Manual / Push Lock
Mirror.....	Off / H, V, HV Mirror

Privacy.....	32 Zone / Size / Color
Power Input.....	Terminal block
Video Output.....	HD-SDI, CVBS simultaneously
Power Consumption.....	250mA
Power Supply.....	12VDC (power supply not included)
Operating Temperature/ Humidity.....	-4° F – 122° F / Under 90% RH (non-condensing)
Storage Temperature.....	-4° F – 158° F
Dimensions.....	5.5" (H) x 4.7" (W) x 10" (L)
Weight.....	4.3 lbs.

Optional Accessories



Speco Technologies is constantly developing and improving products.

We reserve the right to modify product design and specifications without notice and without incurring any obligation.

Rev. 9/20/12

For more information contact Speco Technologies

200 New Highway, Amityville, NY 11701 • Toll Free: 1-800-645-5516 • Fax: 631-957-9142 or 631-957-3880

www.specotech.com